



0 0 0 0 1 5 0 9 9

EQUINE ADVANTAGE - ELITE HORSE 50#

This feed is designed to be fed to maintenance, performance, and breeding horses supplemented with hay or pasture equivalent.

GUARANTEED ANALYSIS

| | | | |
|-----------------|------|-------------|--------------|
| Crude Protein | Min. | 12.0 % | |
| Crude Fat | Min. | 8.0 % | |
| Crude Fiber | Max. | 10.0 % | |
| Calcium | Min. | 0.6 % | Max. 1.0 % |
| Phosphorus | Min. | 0.7 % | |
| Sodium | Min. | 0.1 % | Max. 0.5 % |
| Copper | Min. | 60 PPM | |
| Selenium, Added | Min. | 0.3 PPM | Max. 0.5 PPM |
| Zinc | Min. | 200 PPM | |
| Vitamin A | Min. | 7,000 IU/LB | |

INGREDIENTS: Recleaned Whole Oats, Rolled Barley, Cane Molasses, Dehulled Soybean Meal, Soy Hulls (Not more than 6.0%), Beet Pulp, Roasted Soybeans, Stabilized Rice Bran, Wheat Middlings, Soybean Oil, Monocalcium Phosphate, Dicalcium Phosphate, Linseed Meal, Calcium Carbonate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Vitamin E Supplement, Selenium Yeast, Ferrous Sulfate, Niacin, Riboflavin Supplement, Vitamin A Supplement, Calcium Pantothenate, Biotin, Choline Chloride, Sodium Selenite, Thiamine Mononitrate, Vitamin D3 Supplement, Vitamin B-12 Supplement, Folic Acid, Calcium Iodate, Rice Bran, Cobalt Sulfate, Potassium Calcium Magnesium Clinoptilolite (Natural Zeolite), Yeast Culture, Salt, Dried Whey, Magnesium Oxide, Ascorbic Acid, Zinc Methionine Complex, Manganese Methionine Complex, Copper Lysine Complex, Cobalt Glucoheptonate, Diatomaceous Earth, Propionic Acid (a preservative)

FEEDING DIRECTIONS: Each horse is unique and should be fed to maintain desired body condition and performance. Feeding rates need to be adjusted according to the horse's condition and training or competition schedule. Split the recommended feeding levels into two or more feedings each day.


| <u>Life Stage / Activity Level</u> | <u>Lbs Feed per 100lbs Bodyweight</u> |
|--|---------------------------------------|
| Maintenance/Early Gestation | 0.25 to 0.5 |
| Light Exercise/Late Gestation/Breeding Stallions | 0.5 to 0.75 |
| Medium Exercise/Late Lactation (3 Months to Weaning) | 0.75 to 1.0 |
| Heavy Exercise/Late Lactation (Foaling to 3 Months) | 1.0 to 1.5 |

Do not exceed a maximum inclusion level of 60% in the total diet so as not to exceed 0.3 PPM of added selenium per head per day. Feed along with a good, clean quality hay or pasture equivalent at the rate of 1 to 1.75 lbs per 100 lbs of bodyweight daily. Make all feeding changes gradually over a two week period. Provide plenty of fresh, clean water at all times except to hot, tired horses. Horses should be cooled out properly before having access to unlimited water or being fed. Performance horses should be fed at least twice per day and may benefit from being fed more frequently. Horses should have their feeding rate reduced when exercise is reduced. Salt should be available free choice.

CAUTION: Follow label directions. Feeding added selenium at levels in excess of 0.3 PPM in the total diet is prohibited.

MANUFACTURED BY:
O.H. KRUSE GRAIN AND MILLING
 31120 West Street
 GOSHEN, CA 93227 PH 877-455-6313

E310045 I 11/19/14
 Net Wt. 50 lbs. (22.68 kg)



E 3 1 0 0 4 5