



0 0 0 0 1 5 0 9 9



EQUINE ADVANTAGE - SUPREME HORSE 50#

This feed is designed to be fed to maintenance, performance, and breeding horses supplemented with hay or pasture equivalent.

GUARANTEED ANALYSIS

Crude Protein	Min.	12.0 %	
Crude Fat	Min.	4.5 %	
Crude Fiber	Max.	10.0 %	
Calcium	Min.	0.7 %	Max. 1.0 %
Phosphorus	Min.	0.65 %	
Sodium	Min.	0.1 %	Max. 0.4 %
Copper	Min.	60 PPM	
Selenium	Min.	0.3 PPM	
Zinc	Min.	200 PPM	
Vitamin A	Min.	8,000 IU/LB	


INGREDIENTS: Recleaned Whole Oats, Rolled Barley, Beet Pulp, Cane Molasses, Dehulled Soybean Meal, Wheat Middlings, Soy Hulls (Not more than 4.5%), Canola Meal, Soybean Oil, Monocalcium Phosphate, Dicalcium Phosphate, Dried Distillers Grains, Calcium Carbonate, Linseed Meal, Salt, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Vitamin E Supplement, Selenium Yeast, Ferrous Sulfate, Niacin, Riboflavin Supplement, Vitamin A Supplement, Calcium Pantothenate, Biotin, Choline Chloride, Sodium Selenite, Thiamine Mononitrate, Vitamin D3 Supplement, Vitamin B-12 Supplement, Folic Acid, Calcium Iodate, Rice Bran, Cobalt Sulfate, Potassium Calcium Magnesium Clinoptilolite (Natural Zeolite), Yeast Culture, Magnesium Oxide, Dried Whey, Zinc Methionine Complex, Manganese Methionine Complex, Copper Lysine Complex, Cobalt Glucoheptonate, Diatomaceous Earth, Ascorbic Acid, Propionic Acid (a preservative), Sulfur

FEEDING DIRECTIONS: Each horse is unique and should be fed to maintain desired body condition and performance. Feeding rates need to be adjusted according to the horse's condition and training or competition schedule. Split the recommended feeding levels into two or more feedings each day.

<u>Life Stage / Activity Level</u>	<u>Lbs Feed per 100lbs Bodyweight</u>
Maintenance/Early Gestation	0.25 to 0.5
Light Exercise/Late Gestation/Breeding Stallions	0.5 to 0.75
Medium Exercise/Late Lactation (3 Months to Weaning)	0.75 to 1.0
Heavy Exercise/Late Lactation (Foaling to 3 Months)	1.0 to 1.5

Feed along with a good, clean quality hay or pasture equivalent at the rate of 1 to 1.75 lbs per 100 lbs of bodyweight daily. Make all feeding changes gradually over a two week period. Provide plenty of fresh, clean water at all times except to hot, tired horses. Horses should be cooled out properly before having access to unlimited water or being fed. Performance horses should be fed at least twice per day and may benefit from being fed more frequently. Horses should have their feeding rate reduced when exercise is reduced. Salt should be available free choice.

MANUFACTURED BY:
O.H. KRUSE GRAIN AND MILLING
31120 West Street
GOSHEN, CA 93227 PH 877-455-6313
E310015 B 11/19/14
Net Wt. 50 lbs. (22.68 kg)



E 3 1 0 0 1 5