

1441



0 0 0 0 1 6 0 4 9

SHOW PIG 832 GROWER 20% 50#

This feed is designed to be fed to growing swine from 2 to 3 months of age. **MEDICATED** -- For the removal of: Lungworms: (*Metastrongylus apri*, *Metastrongylus pudendotectus*). Gastrointestinal worms: Adult and larvae (L3, L4 stages, liver, lung, intestinal forms) larger roundworm (*Ascaris suum*); nodular (*Oesophagostomum dentatum*, *Ornithostrongylus quadrispinulatum*); small stomach (*Hyoststrongylus rubidus*); Adult and larvae (L2, 3, 4 stages intestinal mucosal forms); whipworm (*Trichuris suis*). Kidney worm Adult and larvae *Stephanurus dentatus*. For control of swine dysentery associated with *Treponema hyodysenteriae* on premises with a history of swine dysentery but where signs of the disease have not yet occurred, or following an approved treatment of the disease condition.

ACTIVE DRUG INGREDIENTS

Fenbendazole 29.2 g/ton Bacitracin Methylene Disalicylate 250 g/ton

GUARANTEED ANALYSIS

Crude Protein	Min.	20.0	%		
Lysine	Min.	1.3	%		
Crude Fat	Min.	5.0	%		
Crude Fiber	Max.	3.5	%		
Calcium	Min.	0.6	%	Max.	1.0 %
Phosphorus	Min.	0.5	%		
Sodium	Min.	0.1	%	Max.	0.5 %
Copper	Min.	200	PPM		
Zinc	Min.	200	PPM		

INGREDIENTS: Ground Corn, Dehulled Soybean Meal, Oat Groats, Dried Whey, Rice Bran, Fish Meal, Animal Fat and Vegetable Oil, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Choline Chloride, Iron Sulfate, Zinc Sulfate, Manganous Oxide, Vitamin E Supplement, Vitamin B-12 Supplement, Copper Sulfate, Niacin, Calcium Pantothenate, Vitamin A Supplement, Menadione Sodium Bisulfite Complex, Riboflavin, Folic Acid, Vitamin D3 Supplement, Biotin, Pyridoxine Hydrochloride, Ethylenediamine Dihydriodide, Thiamine Mononitrate, Sodium Selenite, L-Lysine Monohydrochloride, Salt, DL-Methionine Hydroxy Analogue, Diatomaceous Earth, Natural and Artificial Flavors added, Brewers Dried Yeast, Dried *Saccharomyces Cerevisiae* Fermentation Solubles, Propionic Acid (a preservative), L-Carnitine, Chromium Tripicolinate, Zinc Oxide, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Yeast, Fermentation Solubles, *Yucca Schidigera*.

FEEDING DIRECTIONS: Feed continuously as the sole ration. Feed as sole ration in complete for a period of from 3-12 days to provide 9mg/kg bodyweight (fenbendazole). Feed at the rate of 1 lbs per per day per every 25 lbs of bodyweight for 7 days. Provide plenty of fresh, clean water at all times.

LIMITATIONS: Feed as sole ration in complete feed for a period of from 3-12 days so as to provide a total intake of 9 mg/kg of bodyweight. No withdrawal time needed.

CAUTION: Not for use in swine that weigh more than 250 lb. Under conditions of continued exposure to parasites, retreatment may be needed after 4-6 weeks. Diagnosis of swine dysentery should be confirmed by a veterinarian when results are not satisfactory.

NOTE: Consult veterinarian for assistance in the diagnosis, treatment and control of parasitism.

MANUFACTURED BY:

O.H. KRUSE GRAIN AND MILLING


31120 West Street

GOSHEN, CA 93227 PH 877-455-6313

274095 W 02/18/16

Net Wt. 50 lbs (22.68 kg)

MEDICATED



2 7 4 0 9 5