HUMMEL LIVESTOCK FULL THROTTLE 50#

This medicated feed is designed to be fed as a complete feed to goats. MEDICATED -- For the prevention of coccidiosis caused by Eimeria crandalis, Eimeria christenseni and Eimeria

GUARANTEED ANALYSIS

	Crude Protein*	Min.	15.5	%				
* (IN	CLUDES NOT MORE THAN	3.2 % EQUIV	ALENT CRUDE	PROTEIN I	FROM NON-	PROTEIN	NITROGEN	I)
11.0	Crude Fat	Min.	5.0	%				.5
	Crude Fiber	Max.	6.1	%				
	ADF	Max	8.4	%				
	Calcium	Min.	1.2	%	Max.	1.7	%	
	Phosphorus	Min.	0.3	%				
	Salt	Min.	1.0	%	Max.	1.5	%	
	Sodium	Min.	0.2	%	Max.	0.6	%	
	Copper	Min.	30	PPM	Max.	40	PPM	
	Selenium	Min.	0.3	PPM				
	Vitamin A	Min.	19,500	IU/LB				

INGREDIENTS: Cracked Corn, Dehulled Soybean Meal, Cane Molasses, Recleaned Whole Oats, Cottonseed Hulls (Not more than 7%), Vegetable Oil, Calcium Carbonate, Rolled Barley, Suncured Alfalfa Meal, Wheat Middlings, Blood Meal, Ammonium Chloride, Salt, Ground Wheat, Rice Bran, Monocalcium Phosphate, Dicalcium Phosphate, Urea, Lignin Sulfonate, Brewer's dried yeast, Dried Saccharomyces cerevisiae fermentation solubles, Hydrated Sodium Calcium Aluminosilicate, Silicon Dioxide, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Dried Saccharomyces Cerevisiae Fermentation Product, Brewers Dried Yeast, Potassium Chloride, Magnesium Oxide, Propionic Acid (a preservative), Zinc Sulfate, Selenium Yeast, Manganese Hydroxychloride, Zinc Hydroxychloride, Calcium Carbontate, Ferrous Sulfate, Copper Chloride, Cobalt Carbonate, Ethylenediamine Dihydriodide, Natural and Artificial Flavors added, Manganese Sulfate, Basic Copper Chloride, Cobalt Sulfate.

FEEDING DIRECTIONS: Each pound of this medicated feed contains 10 mg/lb of Monensin. Feed to growing and finishing goats at the rate of 1 to 5 lbs per head per day adjusting for desired weight gain and performance. Make any feeding changes gradual over a period of two weeks. Have free choice salt licks available. Provide plenty of fresh, clean water at all times. Note: This product contains added copper and should not be fed to sheep. CAUTION: Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. Do not feed to lactating goats.

This feed was produced in a facility certified in the American Feed Industry Association's Safe Feed/Safe Food Certification Program; for details go to: www.safefeedsafefood.org.

JBS UNITED, Inc.

Sheridan, IN 46069 612045 160728 Net Wt. 50 lbs. (22.68 kg)

MANUFACTURED FOR:

